## SAFETY DATA SHEET



1. Identification

**Product identifier** Steam Shield High-Temperature Stem Packing

Other means of identification

**Product number** P-HTS-SP

High temperature stem packing. Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Sealweld

> **Address** Bay 106, 4116 64th Ave.S.E.,

> > Calgary, AB, T2C 2B3

Phone number (Calgary 1-403-236-0043

Office)

**Phone number (Toll Free)**1-800-661-8465 E-mail safety@sealweld.com

**Emergency telephone** 

number

3E Emergency telephone: 1-760-476-3962 Access code: 333035

2. Hazard identification

**Physical hazards** Not classified. Not classified. **Health hazards** 

Hazardous to the aquatic environment, acute Category 3 **Environmental hazards** 

hazard

Label elements

**Hazard symbol** None. None. Signal word

**Hazard statement** Harmful to aquatic life.

**Precautionary statement** 

Avoid release to the environment. Prevention Wash hands after handling. Response

Store away from incompatible materials. **Storage** 

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

## 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
Molybdenum disulphide		1317-33-5	0.5 - 3.5
Benzenesulphonic acid, dodecyl-, calcium salt		26264-06-2	< 2

**Composition comments** All concentrations are in percent by weight unless otherwise indicated.

Components not listed are either non-hazardous or are below reportable limits.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Steam Shield High-Temperature Stem Packing 951487 Version #: 01 Revision date: - Issue date: 31-March-2020 Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

When using high pressure equipment, injection of product under the skin can occur. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Prolonged or repeated skin contact may cause irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Combustion products may include: carbon

oxides, nitrogen oxides, sulfur oxides, calcium oxide.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# **Environmental precautions**

7. Handling and storage Precautions for safe handling

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

951487

## US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Inhalable fraction.

Version #: 01 Revision date: - Issue date: 31-March-2020

Components	Туре	Value	Form
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable.
		10 mg/m3	Total
Canada. British Columbia Safety Regulation 296/97,	OELs. (Occupational Exposure Limits fo	or Chemical Substances, O	ccupational Health and
Components	Туре	Value	Form
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable.
,		10 mg/m3	Inhalable
	Reg. 217/2006, The Workplace Safety And		_
Components	Туре	Value	Form
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Canada. Ontario OELs. (C Components	ontrol of Exposure to Biological or Chen Type	nical Agents) Value	Form
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Canada. Quebec OELs. (N Components	linistry of Labor - Regulation respecting Type	occupational health and s Value	afety)
Molybdenum disulphide (CAS 1317-33-5)	TWA	10 mg/m3	
Canada. Saskatchewan O Components	ELs (Occupational Health and Safety Reo Type	gulations, 1996, Table 21) Value	Form
Molybdenum disulphide (CAS 1317-33-5)	15 minute	20 mg/m3	Inhalable fraction.
(	8 hour	10 mg/m3	Inhalable fraction.
logical limit values	No biological exposure limits noted for t	the ingredient(s).	
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
vidual protection measure Eye/face protection	s, such as personal protective equipmen If contact is likely, safety glasses with si		d.
Skin protection			
Hand protection	For prolonged or repeated skin contact use suitable protective gloves. Suitable gloves can be recommended by the glove supplier.		
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear s		nt.
Thermal hazards	Wear appropriate thermal protective clo	thing, when necessary.	
eral hygiene siderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

## 9.

Physical state Solid. Semi solid. Form Black. Colour Mild. Odour

Steam Shield High-Temperature Stem Packing

SDS Canada

951487 Version #: 01 Revision date: - Issue date: 31-March-2020

Odour threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

**Flash point** > 180.0 °C (> 356.0 °F) Open cup

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

**Vapour pressure** < 0.0008 kPa (25 °C (77 °F))

Vapour density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Negligible.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 270 - 330 Cone penetration (ASTM D217).

Other information

**Explosive properties** Not explosive. **Oxidising properties** Not oxidising.

10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Excessive heat. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactProlonged skin contact may cause temporary irritation.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Prolonged or repeated skin contact may

cause irritation.

Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

Components Species Test Results

Benzenesulphonic acid, dodecyl-, calcium salt (CAS 26264-06-2)

<u>Acute</u>

Oral

951487

LD50 Rat 1300 mg/kg

Steam Shield High-Temperature Stem Packing

Version #: 01 Revision date: - Issue date: 31-March-2020

SDS Canada

Components Species Test Results

Molybdenum disulphide (CAS 1317-33-5)

Acute Inhalation

LC50 Rat > 2820 mg/m3, 4 hours

Skin corrosion/irritation
Serious eve damage/eve

Serious eye damage/eye

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitisation

**Respiratory sensitisation** Not a respiratory sensitiser.

**Skin sensitisation** This product is not expected to cause skin sensitisation.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects None known.

Further information None known.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water. Expected to have low mobility in soil.

Other adverse effects None known.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

**TDG** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

## **Controlled Drugs and Substances Act**

Not regulated.

#### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### **Greenhouse Gases**

Not listed.

### **Precursor Control Regulations**

Not regulated.

#### International regulations

### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

### **Kyoto Protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

## **Basel Convention**

Not applicable.

Country(s) or region

### **International Inventories**

		, (Jeense,
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Taiwan Chemical Substance Inventory (TCSI)

Toxic Substances Control Act (TSCA) Inventory

Inventory name

(PICCS)

#### 16. Other information

Taiwan

Issue date 31-March-2020

**Revision date** Version No. 01

United States & Puerto Rico

Sealweld cannot anticipate all conditions under which this information and its product, or the Disclaimer

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Version #: 01 Revision date: - Issue date: 31-March-2020

951487

On inventory (yes/no)\*

Yes

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).