SAFETY DATA SHEET

Sealweld<sup>®</sup>

## 1. Identification

Product identifier	TOTAL-LUBE #911	
Other means of identification		
Product code	S-TL	
Recommended use	Synthetic lubricant / sealant for valves.	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer/Supplier	Sealweld Corporation	
Address	Bay 106, 4116 64th Ave.S.E.,	
	Calgary, AB, T2C 2B3	
Phone number (Calgary Office)	1-403-236-0043	
Phone number (Toll Free)	1-800-661-8465	
E-mail	safety@sealweld.com	
Emergency telephone number	3E Emergency telephone: 760-476-3962 Access code: 333035	

## 2. Hazard identification

Physical hazards	Not classified.	
Health hazards	Specific target organ toxicity following repeated exposure	Category 2 (kidney)
Environmental hazards	Not classified.	

Label elements



Signal word	Warning		
Hazard statement	May cause damage to organs (kidney) through prolonged or repeated exposure.		
Precautionary statements			
Prevention	Do not breathe dust/fume/gas/mist/vapours/spray.		
Response	Get medical advice/attention if you feel unwell.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	None.		

## 3. Composition/information on ingredients

	CAS number	%
	107-21-1	1.25
	Components not listed are eith	ner non-hazardo
Move to fresh air. Call a physician if symptoms develop or persist.		
e	elow reportable limits.	107-21-1 Il concentrations are in percent by weight. Components not listed are eithelow reportable limits.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. When using high pressure equipment, injection of product under the skin can occur. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury. Eye contact Rinse with water. Get medical attention if irritation develops and persists. Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Prolonged exposure may cause chronic Most important symptoms/effects, acute and effects. delayed Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim under observation. medical attention and special Symptoms may be delayed. treatment needed **General information** If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. 5. Fire-fighting measures

#### Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters Use water spray to cool unopened containers. Fire fighting equipment/instructions Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

# **Precautions for safe handling** Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage,** Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls/personal protection

Hand protection

Occupational exposure limits	No exposure limits noted for ingredient(s).			
Biological limit values	No biological exposure limits noted for the ingredient(s).			
Exposure guidelines	Occupational Exposure Limits are not relevant to the current physical form of the product.			
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Wear safety glasses with side shields (or goggles).			
Skin protection				

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other	Wear suitable protective clothing.	
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

## 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Semi-solid.
Colour	Off-white.
Odour	Mild.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 230.0 °C (> 446.0 °F) Cleveland open cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower ( %)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.1
Solubility(ies)	
Solubility (water)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	180 - 240 (ASTM D217)
Other information	
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal co

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
Conditions to avoid	Excessive heat. Contact with incompatible materials.		
Incompatible materials	Strong oxidising agents.		
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.		

## 11. Toxicological information

## Information on likely routes of exposure

Information on likely routes of e	xposure		
Inhalation	No adverse effects due to inhalation are expected.		
Skin contact	Prolonged skin contact may cause temporary irritation.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological effe	ects		
Acute toxicity	Not expected to be acutely toxic.		
Components	Species	Test Results	
Ethylene glycol (CAS 107-21-1)			
Acute			
Dermal			
LD50	Rabbit	9530 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitisation	n		
Canada - Alberta OELs: Irrit	ant		
Ethylene glycol (CAS 107	/-21-1) Irritant		
Respiratory sensitisation	Not a respiratory sensitiser.		
Skin sensitisation	This product is not expected to cause skin sensitisation.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
ACGIH Carcinogens			
Ethylene glycol (CAS 107 Canada - Manitoba OELs: c			
Ethylene glycol (CAS 107			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	May cause damage to organ	ns (kidney) through prolonged or repeated exposure.	
Aspiration hazard	Due to the physical form of t	he product it is not expected to be an aspiration hazard.	
Chronic effects	May cause damage to organs through prolonged or repeated exposure.		
Further information	None known.		
40. Eaclariant information	_		

## 12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Ethylene glycol (CAS	107-21-1)		
Aquatic			
Acute			
Crustacea	EC50	Ceriodaphnia dubia	10000 mg/l, 48 Hours
Fish	LC50	Oncorhynchus mykiss	24591 mg/l, 96 Hours
Chronic			
Crustacea	NOEC	Ceriodaphnia dubia	3469 mg/l, 7 days

TOTAL-LUBE #911

Components		Species	Test Results	
Fish	NOEC	Oncorhynchus mykiss	14692 mg/l, 12 days	
Persistence and degradability	No data is	available on the degradability	of any ingredients in the mixture.	
Bioaccumulative potential				
Partition coefficient n-octanol / water (log Kow) Ethylene glycol (CAS 107-21-1) -1.36				
Mobility in soil	The produ	ct is insoluble in water. Expect	ed to have low mobility in soil.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal consideratio	ns			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			
14. Transport information				

#### TDG

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

**Canadian regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated. International regulations

#### **Stockholm Convention**

Not applicable.

**Rotterdam Convention** 

- Not applicable.
- Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable. Basel Convention

Not applicable.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

Issue date	21-August-2018
Revision date	-
Version No.	01
Disclaimer	KMG Sealweld cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.